



Best fit for transfer duties in domestic & industrial applications



# Mini Range MC - Series Pump

Roto's Compact MC Pump range has been developed for small capacity and low pressure transfer of light industrial and agricultural duties.

These pumps are widely used wherever general pumping and transfer duties call for a compact and reliable pump of rugged and simple construction.

These pumps are available in 5 sizes with capacities ranging from 750 L/Hour to 3100 L/Hour and pressure up to 5 bar.


# Distinctive Design, Features and Benefits

- Flow is directly proportional to the speed
- Excellent suction lifts capability up to 8m
- Minimal pulsation avoids damage to shear sensitive products
- Can handle liquids with fine solids
- Minimum impact with efficiencies with varying heads
- Simple in design and easy to dismantle
- Low maintenance cost


# Typical applications-


- Drainage Septic tank/cess pits
- Feeding to Garden sprinkler systems/ irrigation
- Drawing water from wells, streams and rivers
- Diesel Transfer
- Feeding to oily water separators
- Transfer and dosing of nonaggressive chemicals and alkalies
- Transfer of water based inks
- Transfer duties in food processing, winery and Vegetable oils
- Transfer of liquids with small solids in suspension
- Transfer of polyelectrolyte
- Handling surfactants and detergents





# **PERFORMANCE CURVES**







Tested on water at 20° and 1450 rpm

Tested on water at 20° and 2900 rpm

## Dimensional details





ALL DIMENSIONS ARE IN MM

Pump Model	Port Size	Motor Rating (KW)	Voltage (V)	Frequency (Hz)	Phase	Pole	Max. Suction Lift (m)	Pump Weight (kg)
MCCA	3⁄4" BSP	0.18	240	50	1Ф	4	8	12
MCCF	1" BSP	0.37	115/240/415	50/60	1Ф/3Ф	4	7.5	14
MCCG	1" BSP	0.55	115/240/415	50/60	1Ф/3Ф	4	7.5	14
MCCH	1" BSP	0.75	115/240/415	50/60	1Ф/3Ф	4	7.5	15
MCCL	1" BSP	0.75	115/240/415	50/60	1Ф/3Ф	2	4.5	15

 $<sup>^{\</sup>ast}$  The 6 & 8 pole motors are available as an option on the MCCF, MCCG & MCCH pumps only.  $^{\ast}$  115V, 415V, 50Hz & 60Hz motors are available on customer demand.





# ROTO PUMPS LTD.

# Regd. Off. & Global Headquarters

13, Roto House, Noida Special Economic Zone, Noida-201305, UP, India

Tel: +91 120 2567902-5, Fax: +91 120 2567911

Email: contact@rotopumps.com CIN: L28991UP1975PLC004152

# Overseas Establishments

#### Roto Pumps Ltd. United Kingdom

Email: sales@rotopumps.co.uk Web: www.rotopumps.co.uk

#### Roto Pumps Ltd, Australia

Email: sales@rotopumps.com.au Web: www.rotopumps.com.au

#### Roto Pumps North America Inc.

Email: sales@rotopumpsna.com Web: www.rotopumpsna.com

#### Roto Pumps Africa (Pty.) Ltd.

Email: sales@rotopumps.co.za Web: www.rotopumps.co.za

# Roto Pumpen GmbH

Email: sales.rpg@rotopumps.com Web: www.rotopumps.com

## Roto Pumps (Malaysia) Sdn. Bhd.

Email: salesmy@rotopumps.com Web: www.rotopumps.com.my

